

Hraniclean Soft Line

Issue date: 15/09/2023

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Revision date: 28/03/2024 Supersedes version of: 30/01/2024

Version: 2.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Hraniclean Soft Line
UFI : MYS2-H0QH-K00Q-WRUG

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public
Main use category : Consumer use
Use of the substance/mixture : Cleaners

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Distributor

Hranipex Czech Republic k.s.
J. Rýznerové 97, Komorovice
CZ 396 01 Humpolec
Czech Republic
T +420 565 501 211

cz-hranipex@hranipex.com, www.hranipex.cz

E-mail address of competent person responsible for the SDS :

sds@regartis.com

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3 H226
Serious eye damage/eye irritation, Category 2 H319

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. Causes serious eye irritation.

Hraniclean Soft Line

Issue date: 15/09/2023

 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
 Revision date: 28/03/2024 Supersedes version of: 30/01/2024

Version: 2.1

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS07

Signal word (CLP) :

Warning

Hazard statements (CLP) :

H226 - Flammable liquid and vapour.

H319 - Causes serious eye irritation.

Precautionary statements (CLP) :

P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

EUH-statements :

EUH208 – Contains CMIT/MIT (55965-84-9). May produce an allergic reaction.

Extra phrases :

Treated article, contains preservation agents: CMIT/MIT, Bronopol (INN)

Perfume (Citral, Limonene, Hexyl Cinnamal, Linalool, Benzyl benzoate, Citronellol).

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propan-2-ol; isopropyl alcohol; isopropanol	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558-25	10 – 15	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
2-butoxyethanol; ethylene glycol monobutyl ether	CAS-No.: 111-76-2 EC-No.: 203-905-0 EC Index-No.: 603-014-00-0 REACH-no: 01-2119475108-36	1 – 3	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319

Hraniclean Soft Line

Issue date: 15/09/2023

 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
 Revision date: 28/03/2024

Supersedes version of: 30/01/2024

Version: 2.1

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Quaternary ammonium compounds, C12-14-alkyltrimethyl, Me sulfates	CAS-No.: 96690-44-7 EC-No.: 306-238-4 REACH-no: 01-2120770734-48	≤ 0.05	Acute Tox. 4 (Oral), H302 (ATE=570 mg/kg bodyweight) Acute Tox. 3 (Dermal), H311 (ATE=429 mg/kg bodyweight) Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)
Bronopol (INN); 2-bromo-2-nitropropane-1,3-diol	CAS-No.: 52-51-7 EC-No.: 200-143-0 EC Index-No.: 603-085-00-8	≤ 0.02	Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Dermal), H312 Acute Tox. 3 (Inhalation:dust,mist), H331 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 2, H411
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) CMIT/MIT	CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5	< 0.001	Met. Corr. 1, H290 Acute Tox. 3 (Oral), H301 (ATE=100 mg/kg bodyweight) Acute Tox. 2 (Dermal), H310 (ATE=50 mg/kg bodyweight) Acute Tox. 2 (Inhalation), H330 (ATE=0.31 mg/l/4h) Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) EUH071

Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5	(0.0015 ≤ C ≤ 100) Skin Sens. 1A, H317 (0.06 ≤ C < 0.6) Eye Irrit. 2, H319 (0.06 ≤ C < 0.6) Skin Irrit. 2, H315 (0.6 ≤ C ≤ 100) Eye Dam. 1, H318 (0.6 ≤ C ≤ 100) Skin Corr. 1C, H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: In all cases of doubt, or when symptoms persist, seek medical attention. If possible, show the doctor this safety data sheet. Failing this, show the doctor the packaging or label. If unconscious, place in the recovery position. Never give anything by mouth to an unconscious person. Immediately remove contaminated clothing or footwear.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Give artificial respiration if necessary. Call a poison center or a doctor if you feel unwell.
First-aid measures after skin contact	: Remove immediately contaminated clothing, wash affected skin area with plenty of cold or lukewarm water. If no injury to skin occurred, it is recommended to use soap, soap solution or shampoo. Call a physician!.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Hraniclean Soft Line

Issue date: 15/09/2023

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Revision date: 28/03/2024

Supersedes version of: 30/01/2024

Version: 2.1

First-aid measures after ingestion : Keep the affected person at rest. Rinse mouth thoroughly with water. Do not give an unconscious person anything to drink. If vomiting occurs have person lean forward. Seek medical attention immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact : Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : On burning: release of carbon monoxide - carbon dioxide. Hydrocarbons. Aldehydes. High temperature decomposition products are harmful by inhalation.

5.3. Advice for firefighters

Firefighting instructions : Ensure adequate ventilation. Do not breathe fumes from fires or vapours from decomposition. Cool down the containers exposed to heat with a water spray. Exercise caution when fighting any chemical fire.
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Other information : Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid all unnecessary exposure. Ensure adequate ventilation. Do not breathe vapours. Eliminate every possible source of ignition.

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Do not allow the mixture to enter into sewer, water system (underground water, surface water) or soil.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Collect all waste in suitable and labelled containers and dispose according to local legislation.

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

Hraniclean Soft Line

Issue date: 15/09/2023

 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
 Revision date: 28/03/2024

Supersedes version of: 30/01/2024

Version: 2.1

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Keep out of reach of children. Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Do not breathe vapours. Keep away from open flames, hot surfaces and sources of ignition.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wear personal protective equipment. Keep away from food, drink and animal feedingstuffs.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Keep in properly labelled containers.
Storage conditions	: Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Store at room temperature.
Incompatible products	: Strong acids. Strong oxidizing agents.
Storage temperature	: < 50 °C

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	2-Butoxyethanol
IOEL TWA	98 mg/m ³
	20 ppm
IOEL STEL	246 mg/m ³
	50 ppm
Remark	Skin
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC
Ireland - Occupational Exposure Limits	
Local name	2-Butoxyethanol (EGBE)
OEL TWA	98 mg/m ³
	20 ppm
OEL STEL	246 mg/m ³
	50 ppm
Remark	Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2021
Ireland - Biological limit values	
Local name	2-Butoxyethanol
BMGV	200 mg/g creatinine Parameter: BAA - Medium: urine - Sampling time: End of shift

Hraniclean Soft Line

Issue date: 15/09/2023

 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
 Revision date: 28/03/2024

Supersedes version of: 30/01/2024

Version: 2.1

2-butoxyethanol; ethylene glycol monobutyl ether (111-76-2)

Regulatory reference	Biological Monitoring Guidelines (HSA, 2011)
----------------------	--

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

Ireland - Occupational Exposure Limits

Local name	Isopropyl alcohol [Propan-2-ol]
OEL TWA	200 ppm
OEL STEL	400 ppm
Remark	Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body)
Regulatory reference	Chemical Agents Code of Practice 2021

Ireland - Biological limit values

Local name	2-Propanol
BMGV	40 mg/l Parameter: acetone - Medium: urine - Sampling time: End of shift at end of workweek - Notations: B (Background), Ns (Non-specific)
Regulatory reference	Biological Monitoring Guidelines (HSA, 2011)

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection:

tightly fitting safety goggles

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable working clothes. Protective shoes

Hand protection:

Wear protective gloves. Nitrile rubber. Butyl rubber. Follow the glove manufacturer's specific recommendations when selecting the appropriate thickness, material, and permeability.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear suitable respiratory equipment in case of insufficient ventilation. Wear appropriate mask. Type AX - Low-boiling (<65 °C) organic compounds. Extra personal protection: A/P2 filter respirator for organic vapour and harmful dust

8.2.2.4. Thermal hazards

No additional information available

Hraniclean Soft Line

Issue date: 15/09/2023

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Revision date: 28/03/2024

Supersedes version of: 30/01/2024

Version: 2.1

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Always wash hands after handling the product. Avoid contact with skin and eyes. Do not eat, drink or smoke in areas where product is used. Remove all contaminated clothing and footwear.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Odour	: According to the perfume used.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Non flammable.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: $\approx 35\text{ }^{\circ}\text{C}$
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: $\approx 1\text{ g/cm}^3$
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : $\approx 0.1\text{ kg/kg}$

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Overheating.

10.5. Incompatible materials

Strong acids. Strong oxidizing agents.

Hraniclean Soft Line

Issue date: 15/09/2023

 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
 Revision date: 28/03/2024

Supersedes version of: 30/01/2024

Version: 2.1

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)

Bronopol (INN); 2-bromo-2-nitropropane-1,3-diol (52-51-7)

STOT-single exposure	May cause respiratory irritation.
----------------------	-----------------------------------

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

STOT-single exposure	May cause drowsiness or dizziness.
----------------------	------------------------------------

STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties	: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %
--	--

11.2.2. Other information

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic)	: Not classified (Based on available data, the classification criteria are not met)

12.2. Persistence and degradability

Hraniclean Soft Line

Persistence and degradability	No information available.
-------------------------------	---------------------------

12.3. Bioaccumulative potential

Hraniclean Soft Line

Bioaccumulative potential	No information available.
---------------------------	---------------------------

Hraniclean Soft Line

Issue date: 15/09/2023

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
 Revision date: 28/03/2024 Supersedes version of: 30/01/2024

Version: 2.1

12.4. Mobility in soil

Hraniclean Soft Line

Ecology - soil : No information available.

12.5. Results of PBT and vPvB assessment

Hraniclean Soft Line

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

12.7. Other adverse effects

Other adverse effects : No other effects known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.
 Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
 Additional information : Flammable vapours may accumulate in the container.
 European List of Waste (LoW, EC 2000/532) : 20 01 29* - detergents containing dangerous substances
 15 01 02 - plastic packaging

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
UN 1993	UN 1993	UN 1993	UN 1993	UN 1993
14.2. UN proper shipping name				
FLAMMABLE LIQUID, N.O.S.	FLAMMABLE LIQUID, N.O.S.	Flammable liquid, n.o.s.	FLAMMABLE LIQUID, N.O.S.	FLAMMABLE LIQUID, N.O.S.
Transport document description				
UN 1993 FLAMMABLE LIQUID, N.O.S. (propan-2-ol; isopropyl alcohol; isopropanol), 3, III, (D/E)	UN 1993 FLAMMABLE LIQUID, N.O.S. (propan-2-ol; isopropyl alcohol; isopropanol), 3, III	UN 1993 Flammable liquid, n.o.s. (propan-2-ol; isopropyl alcohol; isopropanol), 3, III	UN 1993 FLAMMABLE LIQUID, N.O.S. (propan-2-ol; isopropyl alcohol; isopropanol), 3, III	UN 1993 FLAMMABLE LIQUID, N.O.S. (propan-2-ol; isopropyl alcohol; isopropanol), 3, III
14.3. Transport hazard class(es)				
3	3	3	3	3

Hraniclean Soft Line

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
 Revision date: 28/03/2024 Supersedes version of: 30/01/2024


Issue date: 15/09/2023

Version: 2.1

ADR	IMDG	IATA	ADN	RID
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available				

14.6. Special precautions for user

Overland transport

- Classification code (ADR) : F1
- Special provisions (ADR) : 274, 601
- Limited quantities (ADR) : 5I
- Excepted quantities (ADR) : E1
- Packing instructions (ADR) : P001, IBC03, LP01, R001
- Mixed packing provisions (ADR) : MP19
- Portable tank and bulk container instructions (ADR) : T4
- Portable tank and bulk container special provisions (ADR) : TP1, TP29
- Tank code (ADR) : LGBF
- Vehicle for tank carriage : FL
- Transport category (ADR) : 3
- Special provisions for carriage - Packages (ADR) : V12
- Special provisions for carriage - Operation (ADR) : S2
- Hazard identification number (Kemler No.) : 30
- Orange plates : 

Tunnel restriction code (ADR) : D/E

Transport by sea

- Special provisions (IMDG) : 223, 274, 955
- Limited quantities (IMDG) : 5 L
- Excepted quantities (IMDG) : E1
- Packing instructions (IMDG) : LP01, P001
- IBC packing instructions (IMDG) : IBC03
- Tank instructions (IMDG) : T4
- Tank special provisions (IMDG) : TP1, TP29
- EmS-No. (Fire) : F-E
- EmS-No. (Spillage) : S-E
- Stowage category (IMDG) : A

Air transport

- PCA Excepted quantities (IATA) : E1
- PCA Limited quantities (IATA) : Y344
- PCA limited quantity max net quantity (IATA) : 10L
- PCA packing instructions (IATA) : 355
- PCA max net quantity (IATA) : 60L
- CAO packing instructions (IATA) : 366
- CAO max net quantity (IATA) : 220L
- Special provisions (IATA) : A3
- ERG code (IATA) : 3L

Inland waterway transport

- Classification code (ADN) : F1
- Special provisions (ADN) : 274, 601

Hraniclean Soft Line

Issue date: 15/09/2023 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
 Revision date: 28/03/2024 Supersedes version of: 30/01/2024 Version: 2.1

Limited quantities (ADN) : 5 L
 Excepted quantities (ADN) : E1
 Carriage permitted (ADN) : T
 Equipment required (ADN) : PP, EX, A
 Ventilation (ADN) : VE01
 Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : F1
 Special provisions (RID) : 274, 601
 Limited quantities (RID) : 5L
 Excepted quantities (RID) : E1
 Packing instructions (RID) : P001, IBC03, LP01, R001
 Mixed packing provisions (RID) : MP19
 Portable tank and bulk container instructions (RID) : T4
 Portable tank and bulk container special provisions (RID) : TP1, TP29
 Tank codes for RID tanks (RID) : LGBF
 Transport category (RID) : 3
 Special provisions for carriage – Packages (RID) : W12
 Colis express (express parcels) (RID) : CE4
 Hazard identification number (RID) : 30

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)	
Reference code	Applicable on
3(a)	Hraniclean Soft Line ; propan-2-ol; isopropyl alcohol; isopropanol
3(b)	Hraniclean Soft Line ; 2-butoxyethanol; ethylene glycol monobutyl ether ; Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) ; propan-2-ol; isopropyl alcohol; isopropanol
3(c)	Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
40.	propan-2-ol; isopropyl alcohol; isopropanol

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Hraniclean Soft Line

Issue date: 15/09/2023

 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
 Revision date: 28/03/2024

Supersedes version of: 30/01/2024

Version: 2.1

VOC Directive (2004/42)

VOC content : ≈ 0.1 kg/kg

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes

Section	Changed item	Change	Comments
	Supersedes	Modified	
	Revision date	Modified	
8.2	Respiratory protection	Modified	

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration

Hraniclean Soft Line

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
 Revision date: 28/03/2024 Supersedes version of: 30/01/2024

Issue date: 15/09/2023

Version: 2.1

Abbreviations and acronyms:

OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Data sources : ECHA Guidance on the compilation of safety data sheets
 ECHA C&L Inventory database. Supplier's safety documents.

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H- and EUH-statements:

Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
EUH071	Corrosive to the respiratory tract.
EUH208	Contains Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)(55965-84-9). May produce an allergic reaction.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H290	May be corrosive to metals.

Hraniclean Soft Line

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
 Revision date: 28/03/2024 Supersedes version of: 30/01/2024

Issue date: 15/09/2023

Version: 2.1

Full text of H- and EUH-statements:

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1A	Skin sensitisation, category 1A
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Flam. Liq. 3	H226	On basis of test data
Eye Irrit. 2	H319	Calculation method

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.