

Hranifix Industry

Issue date: 5/17/2016

 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
 Revision date: 3/3/2024 Supersedes version of: 1/17/2023

Version: 5.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
 Trade name : Hranifix Industry
 UFI : FFU2-40F8-T004-5JRK
 Vaporizer : Spray

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : For professional use only
 Use of the substance/mixture : Designed for gluing plastic laminates, wood, most metals and construction materials
 Function or use category : Adhesives, binding agents

1.2.2. Uses advised against

Restrictions on use : Bonding of flexible PVC

1.3. Details of the supplier of the safety data sheet

Distributor

Hranipex Czech Republic k.s.
 J. Rýznerové 97, Komorovice
 CZ 396 01 Humpolec
 Czech Republic
 T +420 565 501 211

cz-hranipex@hranipex.com, www.hranipex.cz

E-mail address of competent person responsible for the SDS :
sds@regartis.com

Supplier

Hranipex Ltd.
 Unit 2 Radial Park, Birmingham Business Park
 Birmingham, B37 7YN
 United Kingdom
 T +44 121 767 9180, F 0121 782 6250

uk-hranipex@hranipex.com, www.hranipex.co.uk

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Cardiff Centre) University Hospital Llandough	Penlan Road CF64 2XX	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Edinburgh Centre) Royal Infirmary of Edinburgh	Little France Crescent EH16 4SA	0344 892 0111	Only for healthcare professionals
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre	16/17 Framlington Place Newcastle-upon-Tyne NE2 4AB	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable gases, Category 1

H220

Hranifix Industry

Issue date: 5/17/2016 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
 Revision date: 3/3/2024 Supersedes version of: 1/17/2023 Version: 5.3

Gases under pressure : Liquefied gas H280
 Skin corrosion/irritation, Category 2 H315
 Serious eye damage/eye irritation, Category 2 H319
 Carcinogenicity, Category 2 H351
 Specific target organ toxicity – Single exposure, Category 3, Narcosis H336
 Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Contains gas under pressure; may explode if heated. Extremely flammable gas. Suspected of causing cancer. May cause drowsiness or dizziness. Causes skin irritation. Causes serious eye irritation.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

: Danger

Contains

: Dichloromethane

Hazard statements (CLP)

: H220 - Extremely flammable gas.
 H280 - Contains gas under pressure; may explode if heated.
 H315 - Causes skin irritation.
 H319 - Causes serious eye irritation.
 H336 - May cause drowsiness or dizziness.
 H351 - Suspected of causing cancer.

: P202 - Do not handle until all safety precautions have been read and understood.
 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P261 - Avoid breathing vapours, spray.
 P280 - Wear protective gloves, protective clothing, eye protection, face protection.
 P302+P352 - IF ON SKIN: Wash with plenty of water.
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P308+P313 - IF exposed or concerned: Get medical advice/attention.
 P381 - In case of leakage, eliminate all ignition sources.
 P405 - Store locked up.
 P410+P403 - Protect from sunlight. Store in a well-ventilated place.
 P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Precautionary statements (CLP)

2.3. Other hazards

Other hazards which do not result in classification : Vapours may form explosive mixture with air. Dichloromethane is converted to carbon monoxide in the body, which reduces the ability to carry oxygen in the blood.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

Hranifix Industry

Issue date: 5/17/2016

 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
 Revision date: 3/3/2024

Supersedes version of: 1/17/2023

Version: 5.3

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Dichloromethane	CAS-No.: 75-09-2 EC-No.: 200-838-9 EC Index-No.: 602-004-00-3 REACH-no: 01-2119480404-41-XXXX	30 – 60	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Carc. 2, H351 STOT SE 3, H336
Petroleum gases, liquefied; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately – 40°C to 80°C (– 40°F to 176°F).]	CAS-No.: 68476-85-7 EC-No.: 270-704-2 EC Index-No.: 649-202-00-6	10 – 60	Flam. Gas 1A, H220 Press. Gas (Liq.), H280
dimethyl ether	CAS-No.: 115-10-6 EC-No.: 204-065-8 EC Index-No.: 603-019-00-8	5 – 10	Flam. Gas 1A, H220 Press. Gas, H280

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible). Move the affected person to the fresh air. In case of loss of consciousness, place the victim in the recovery position.
First-aid measures after inhalation	: Move the affected person away from the contaminated area and into the fresh air. Allow the victim to rest. Give oxygen or artificial respiration if necessary. Call a doctor.
First-aid measures after skin contact	: Take off contaminated clothing. After contact with skin, wash immediately and thoroughly with water and soap. If irritation persists, consult a doctor.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Prolonged and repeated contact with solvents may lead to permanent health problems. A severity of described symptoms depends on the concentration and length of exposure.
Symptoms/effects after inhalation	: May cause drowsiness or dizziness. Chest pain. Shortness of breath. Cough.
Symptoms/effects after skin contact	: Irritation. Redness. Prolonged or repeated contact may cause skin to become dry.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: Can cause pain and redness of the mouth and throat.
Chronic symptoms	: Long term oral exposure. May cause cancer. liver and kidney injuries. Repeated exposure to this material can result in absorption through skin causing significant health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Alcohol resistant foam. Carbon dioxide. Water spray or fog. extinguishing powder.
Unsuitable extinguishing media	: Do not use a heavy water stream.

Hranifix Industry

Issue date: 5/17/2016

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
 Revision date: 3/3/2024

Supersedes version of: 1/17/2023

Version: 5.3

5.2. Special hazards arising from the substance or mixture

- | | |
|--|--|
| Fire hazard | : Extremely flammable gas. Gases under pressure : Liquefied gas. |
| Explosion hazard | : May form flammable/explosive vapour-air mixture. Vapours are heavier than air and may spread along floors. |
| Reactivity in case of fire | : May explode on heating. |
| Hazardous decomposition products in case of fire | : Carbon oxides (CO and CO ₂). Other toxic gases. Do not breathe fumes from fires or vapours from decomposition. |

5.3. Advice for firefighters

- | | |
|--------------------------------|--|
| Precautionary measures fire | : Evacuate area. Stop leak if safe to do so. |
| Firefighting instructions | : Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. Leaking gas fire: Do not extinguish, unless leak can be stopped safely. Eliminate all ignition sources if safe to do so. |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Complete protective clothing. Self-contained breathing apparatus. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- | | |
|------------------|--|
| General measures | : Remove ignition sources. Use special care to avoid static electric charges. Eliminate every possible source of ignition. No open flames. No smoking. |
|------------------|--|

6.1.1. For non-emergency personnel

- | | |
|----------------------|--|
| Protective equipment | : Wear suitable protective clothing. |
| Emergency procedures | : Ventilate spillage area. Evacuate unnecessary personnel. Stop leaks if it can be done without personal risk. No open flames, no sparks, and no smoking. Avoid breathing Vapours. Avoid contact with skin and eyes. |

6.1.2. For emergency responders

- | | |
|----------------------|--|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection". |
|----------------------|--|

6.2. Environmental precautions

Prevent entry to sewers and public waters. Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- | | |
|-------------------------|--|
| For containment | : Collect spillage. Avoid ignition sources. Ensure adequate ventilation. |
| Methods for cleaning up | : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect all waste in suitable and labelled containers and dispose according to local legislation. Non-sparking tools should be used. Notify authorities if product enters sewers or public waters. |

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- | | |
|-----------------------------------|---|
| Additional hazards when processed | : Handle empty containers with care because residual vapours are flammable. |
| Precautions for safe handling | : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Provide good ventilation in process area to prevent formation of vapour. Avoid breathing vapours. Avoid contact with skin and eyes. No open flames. No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Eliminate all ignition sources if safe to do so. Wear personal protective equipment. |

Hranifix Industry

Issue date: 5/17/2016

 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
 Revision date: 3/3/2024

Supersedes version of: 1/17/2023

Version: 5.3

Hygiene measures : Do not eat, drink or smoke when using this product. Remove contaminated clothes. Wash contaminated clothing before reuse. Wash hands, forearms and face thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Extremely flammable liquefied gas. Proper grounding procedures to avoid static electricity should be followed. Explosion-free electrical equipment and lighting with earth. Ensure adequate ventilation.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources. Do not expose to temperatures exceeding 50 °C/ 122 °F. Keep in fireproof place. Keep container tightly closed. Store locked up.

Incompatible products : Aluminum (aluminium), strong oxidizing agents, strong acids, water, moisture

Storage area : Store in a well-ventilated place. Store locked up.

Special rules on packaging : Keep only in original container. Store in a closed container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Dichloromethane (75-09-2)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Methylene chloride; Dichloromethane
IOEL TWA	353 mg/m ³
	100 ppm
IOEL STEL	706 mg/m ³
	200 ppm
Remark	skin
Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164
EU - Biological Limit Value (BLV)	
Local name	Methylene chloride
BLV	4 % Parameter: COHb - Medium: Blood 0.3 mg/l Parameter: methylene chloride - Medium: urine 1 mg/l Parameter: methylene chloride - Medium: blood
Regulatory reference	SCOEL List of recommended health-based BLVs and BGVs
United Kingdom - Occupational Exposure Limits	
Local name	Dichloromethane
WEL TWA (OEL TWA)	350 mg/m ³
	100 ppm
WEL STEL (OEL STEL)	1060 mg/m ³
	300 ppm
Remark	BMGV (Biological monitoring guidance values are listed in Table 2), Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

Hranifix Industry

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
 Revision date: 3/3/2024 Supersedes version of: 1/17/2023

Issue date: 5/17/2016

Version: 5.3

Dichloromethane (75-09-2)

United Kingdom - Biological limit values

Local name	Dichlorometane
BMGV	30 ppm Parameter: carbon monoxide - Medium: end-tidal breath - Sampling time: Post shift
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

Petroleum gases, liquefied; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately– 40°C to 80°C (– 40°F to 176°F).] (68476-85-7)

United Kingdom - Occupational Exposure Limits

Local name	Liquefied petroleum gas
WEL TWA (OEL TWA)	1750 mg/m ³
	1000 ppm
WEL STEL (OEL STEL)	2180 mg/m ³
	1250 ppm
Remark	Carc (Capable of causing cancer and/or heritable genetic damage (only applies if LPG contains more than 0.1% of buta-1,3-diene))
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

dimethyl ether (115-10-6)

EU - Indicative Occupational Exposure Limit (IOEL)

Local name	Dimethylether
IOEL TWA	1920 mg/m ³
	1000 ppm
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC

United Kingdom - Occupational Exposure Limits

Local name	Dimethyl ether
WEL TWA (OEL TWA)	766 mg/m ³
	400 ppm
WEL STEL (OEL STEL)	958 mg/m ³
	500 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

Monitoring methods

Monitoring methods	Workplace exposure - General requirements for the performance of procedures for the measurement of chemical agents.
--------------------	---

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

Hranifix Industry

Issue date: 5/17/2016

 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
 Revision date: 3/3/2024

Supersedes version of: 1/17/2023

Version: 5.3

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Keep away from open flames, hot surfaces and sources of ignition. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure. Wear recommended personal protective equipment.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Wear eye protection. Safety glasses. EN166. Emergency eye wash fountain with clean water

8.2.2.2. Skin protection

Skin and body protection:

Long sleeved protective clothing. Safety footwear

Hand protection:

Wear protective gloves. Chemical resistant gloves (according to European standard ISO 374-1 or equivalent). Follow the glove manufacturer's specific recommendations when selecting the appropriate thickness, material, and permeability. Gloves must be replaced after each use and whenever signs of wear or perforation appear

8.2.2.3. Respiratory protection

Respiratory protection:

Half mask with filter against organic vapors. Self-contained breathing apparatus if exposure limits are exceeded or in poorly ventilated areas. In case of inadequate ventilation wear respiratory protection.

8.2.2.4. Thermal hazards

Thermal hazard protection:

Closed system, ventilation, explosion-proof electrical equipment and lighting.

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Immediately remove contaminated clothing or footwear. Wash hands before break and at end of works. Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Gas
Colour	: Amber.
Odour	: Chlorinated hydrocarbons.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not applicable
Boiling point	: 40 °C (dichlormetan), 760mm Hg
Flammability	: Extremely flammable gas.
Explosive properties	: Could form explosive mixtures with air.
It does not have oxidising properties	: It does not have oxidising properties.
Lower explosion limit	: 1.4 vol %

Hranifix Industry

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
 Revision date: 3/3/2024 Supersedes version of: 1/17/2023

Issue date: 5/17/2016

Version: 5.3

Upper explosion limit	: 10.9 vol % Propellant
Flash point	: < -60 °C Propellant
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not applicable
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: 550 – 750 cP
Solubility	: Insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 1.2 g/cm ³
Relative density	: Not applicable
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1) : 27.5

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Product is volatile. Extremely flammable gas. Containers could explode when heated.

10.3. Possibility of hazardous reactions

Stable under normal conditions of use.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid contact with hot surfaces. Heat. Direct sunlight.

10.5. Incompatible materials

Aluminum (aluminium), strong oxidizing agents, strong acids, water, moisture

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

Dichloromethane (75-09-2)	
LD50 oral rat	2000 mg/kg
LD50 dermal rat	2000 mg/kg
LC50 Inhalation - Rat (Vapours)	86 mg/l/4h

Hranifix Industry

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
 Revision date: 3/3/2024 Supersedes version of: 1/17/2023

Issue date: 5/17/2016

Version: 5.3

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Suspected of causing cancer.
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: May cause drowsiness or dizziness.

Dichloromethane (75-09-2)

STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)

Hranifix Industry

Vaporizer	Spray
-----------	-------

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties	: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %
--	--

11.2.2. Other information

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic)	: Not classified (Based on available data, the classification criteria are not met)

12.2. Persistence and degradability

Hranifix Industry

Persistence and degradability	Not established.
-------------------------------	------------------

12.3. Bioaccumulative potential

Hranifix Industry

Bioaccumulative potential	Not established.
---------------------------	------------------

Dichloromethane (75-09-2)

Partition coefficient n-octanol/water (Log Pow)	1.25
Bioaccumulative potential	Low bioaccumulation potential.

12.4. Mobility in soil

Hranifix Industry

Ecology - soil	Product is volatile. Insoluble in water. Product evaporates rapidly when in contact with the air.
----------------	---

Hranifix Industry

Issue date: 5/17/2016

 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
 Revision date: 3/3/2024

Supersedes version of: 1/17/2023

Version: 5.3

12.5. Results of PBT and vPvB assessment

Hranifix Industry

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations : Do not dispose of waste into sewer.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Container under pressure. Do not drill or burn even after use. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. Do not remove as household garbage.

Additional information : Handle empty containers with care because residual vapours are flammable.

Ecological information : Avoid release to the environment.

European List of Waste (LoW, EC 2000/532) : 15 01 10* - packaging containing residues of or contaminated by dangerous substances
15 01 04 - metallic packaging
16 05 04* - gases in pressure containers (including halons) containing dangerous substances

HP Code : HP3 - "Flammable:"
– flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
– flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
– flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
– flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
– water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
– other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.
HP5 - "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration.
HP7 - "Carcinogenic:" waste which induces cancer or increases its incidence
HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

Hranifix Industry

Issue date: 5/17/2016






 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
 Revision date: 3/3/2024

Supersedes version of: 1/17/2023

Version: 5.3

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
UN 3501	UN 3501	UN 3501	UN 3501	UN 3501
14.2. UN proper shipping name				
CHEMICAL UNDER PRESSURE, FLAMMABLE, N.O.S.	CHEMICAL UNDER PRESSURE, FLAMMABLE, N.O.S.	Chemical under pressure, flammable, n.o.s.	CHEMICAL UNDER PRESSURE, FLAMMABLE, N.O.S.	CHEMICAL UNDER PRESSURE, FLAMMABLE, N.O.S.
Transport document description				
UN 3501 CHEMICAL UNDER PRESSURE, FLAMMABLE, N.O.S., 2.1, (B/D)	UN 3501 CHEMICAL UNDER PRESSURE, FLAMMABLE, N.O.S., 2.1	UN 3501 Chemical under pressure, flammable, n.o.s., 2.1	UN 3501 CHEMICAL UNDER PRESSURE, FLAMMABLE, N.O.S., 2.1	UN 3501 CHEMICAL UNDER PRESSURE, FLAMMABLE, N.O.S., 2.1
14.3. Transport hazard class(es)				
2.1	2.1	2.1	2.1	2.1
				
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR)	: 8F
Special provisions (ADR)	: 274, 659
Limited quantities (ADR)	: 0
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P206
Special packing provisions (ADR)	: PP89
Mixed packing provisions (ADR)	: MP9
Portable tank and bulk container instructions (ADR)	: T50
Portable tank and bulk container special provisions (ADR)	: TP4, TP40
Vehicle for tank carriage	: FL
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: --
Special provisions for carriage - Bulk (ADR)	: --
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV9, CV10, CV12, CV36
Special provisions for carriage - Operation (ADR)	: S2
Tunnel restriction code (ADR)	: B/D

Transport by sea

Special provisions (IMDG)	: 274, 362
Packing instructions (IMDG)	: P206

Hranifix Industry

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Issue date: 5/17/2016

Revision date: 3/3/2024

Supersedes version of: 1/17/2023

Version: 5.3

Special packing provisions (IMDG)	: PP89
Tank instructions (IMDG)	: T50
Tank special provisions (IMDG)	: TP4, TP40
EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	: D
Stowage and handling (IMDG)	: SW2
Properties and observations (IMDG)	: Liquids, pastes or powders, pressurized with a propellant which meets the definition of a gas.

Air transport

PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Forbidden
PCA limited quantity max net quantity (IATA)	: Forbidden
PCA packing instructions (IATA)	: Forbidden
PCA max net quantity (IATA)	: Forbidden
CAO packing instructions (IATA)	: 218
CAO max net quantity (IATA)	: 75kg
Special provisions (IATA)	: A1, A187
ERG code (IATA)	: 10L

Inland waterway transport

Classification code (ADN)	: 8F
Special provisions (ADN)	: 274, 659
Limited quantities (ADN)	: 0
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 1

Rail transport

Special provisions (RID)	: 274, 659
Limited quantities (RID)	: 0
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P206
Special packing provisions (RID)	: PP89
Mixed packing provisions (RID)	: MP9
Portable tank and bulk container instructions (RID)	: T50
Portable tank and bulk container special provisions (RID)	: TP4, TP40
Transport category (RID)	: 2
Special provisions for carriage - Loading, unloading and handling (RID)	: CW9, CW10, CW12, CW36
Colis express (express parcels) (RID)	: CE2
Hazard identification number (RID)	: 23

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)

Reference code	Applicable on
3(b)	Dichloromethane

Hranifix Industry

Issue date: 5/17/2016

 according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
 Revision date: 3/3/2024

Supersedes version of: 1/17/2023

Version: 5.3

EU restriction list (REACH Annex XVII)

Reference code	Applicable on
40.	Petroleum gases, liquefied; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately– 40°C to 80°C (– 40°F to 176°F).] ; dimethyl ether
59.	Dichloromethane

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP)

United Kingdom

British National Regulations

: Directive 2008/98/EC of the European Parliament and of the Council on waste and repealing certain Directives, in the valid wording.
 Regulation (EC) No 1013/2006 of the European Parliament and of the Council on shipments of waste, in the valid wording.
 UK Waste Regulations.
 UK REACH.
 GB CLP.

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Indication of changes

Section	Changed item	Change	Comments
	Supersedes	Modified	
	Revision date	Modified	
1.1	UFI on SDS 1.1	Added	

Hranifix Industry

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
 Revision date: 3/3/2024 Supersedes version of: 1/17/2023

Issue date: 5/17/2016

Version: 5.3

Indication of changes

Section	Changed item	Change	Comments
1.2	Uses advised against	Added	
2.2	Precautionary statements (CLP)	Modified	
2.3	Other hazards not contributing to the classification	Modified	
3.2	Composition/information on ingredients	Modified	
4.1	First-aid measures general	Modified	
4.1	First-aid measures after ingestion	Modified	
4.1	First-aid measures after skin contact	Modified	
4.2	Symptoms/effects	Modified	
5.1	Suitable extinguishing media	Modified	
5.2	Hazardous decomposition products in case of fire	Modified	
5.3	Protection during firefighting	Modified	
6.1	Emergency procedures	Modified	
6.3	Other information	Removed	
7.2	Incompatible products	Modified	
8.2	Appropriate engineering controls	Modified	
8.2	Appropriate engineering controls	Modified	
8.2	Other information	Modified	
8.2	Respiratory protection	Modified	
8.2	Eye protection	Modified	
9.1	Lower explosive limit (LEL)	Added	
9.1	Upper explosive limit (UEL)	Added	
9.1	Relative evaporation rate (butylacetate=1)	Added	
9.1	Odour	Added	
9.1	Flash point	Modified	
9.1	Auto-ignition temperature	Removed	
9.1	Flash point	Modified	
10.5	Incompatible materials	Modified	

Abbreviations and acronyms:

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IATA	International Air Transport Association

Hranifix Industry

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Revision date: 3/3/2024 Supersedes version of: 1/17/2023

Issue date: 5/17/2016

Version: 5.3

Abbreviations and acronyms:

IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
vPvB	Very Persistent and Very Bioaccumulative

Data sources	: ECHA Guidance on the compilation of safety data sheets ECHA C&L Inventory database. Supplier's safety documents.
Training advice	: Normal use of this product shall imply use in accordance with the instructions on the packaging. Provide SDS to employees. Follow general rules on handling chemical substances and/or mixtures.

Full text of H- and EUH-statements:

Carc. 2	Carcinogenicity, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Gas 1A	Flammable gases, Category 1A
H220	Extremely flammable gas.
H280	Contains gas under pressure; may explode if heated.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
Press. Gas (Liq.)	Gases under pressure : Liquefied gas
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Flam. Gas 1	H220	Expert judgement
Press. Gas (Liq.)	H280	Expert judgement
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Carc. 2	H351	Calculation method

Hranifix Industry

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Revision date: 3/3/2024 Supersedes version of: 1/17/2023

Issue date: 5/17/2016

Version: 5.3

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

STOT SE 3	H336	Calculation method
-----------	------	--------------------

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.