

## Hraniclean 106

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
 Revision date: 26/02/2023 Supersedes version of: 24/10/2021

Issue date: 01/06/2015

Version: 1.4

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
 Product name : Hraniclean 106

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Industrial/Professional use spec : For professional use only  
 Use of the substance/mixture : Separating liquid in the furniture industry.  
 Function or use category : Cleaning/washing agents and additives

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

##### Distributor

Hranipex Czech Republic k.s.  
 J. Rýznerové 97, Komorovice  
 CZ- 396 01 Humpolec  
 Czech Republic  
 T 565 501 210

[hranipex@hranipex.cz](mailto:hranipex@hranipex.cz) - [www.hranipex.cz](http://www.hranipex.cz)

E-mail address of competent person responsible for the SDS :

[sds@regartis.com](mailto:sds@regartis.com)

##### Supplier

Hranipex Ltd.  
 Unit 2 Radial Park, Birmingham Business Park  
 Birmingham, B37 7YN  
 United Kingdom  
 T 0121 767 9180 - F 0121 782 6250

[hranipex@hranipex.co.uk](mailto:hranipex@hranipex.co.uk) - [www.hranipex.co.uk](http://www.hranipex.co.uk)

#### 1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Cardiff Centre) University Hospital Llandough	Penlan Road CF64 2XX	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Edinburgh Centre) Royal Infirmary of Edinburgh	Little France Crescent EH16 4SA	0344 892 0111	Only for healthcare professionals
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre	16/17 Framlington Place Newcastle-upon-Tyne NE2 4AB	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	Only for healthcare professionals

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2 H225  
 Serious eye damage/eye irritation, Category 2 H319  
 Specific target organ toxicity – Single exposure, Category 3, Narcosis H336  
 Full text of H- and EUH-statements: see section 16

## Hraniclean 106

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
 Revision date: 26/02/2023 Supersedes version of: 24/10/2021

Issue date: 01/06/2015

Version: 1.4

### Adverse physicochemical, human health and environmental effects

Causes eye irritation. Extremely flammable liquid and vapour. May cause drowsiness or dizziness.

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS07

Signal word (CLP) :

Danger

Contains :

acetone; propan-2-one; propanone

Hazard statements (CLP) :

H225 - Highly flammable liquid and vapour.

H319 - Causes serious eye irritation.

H336 - May cause drowsiness or dizziness.

Precautionary statements (CLP) :

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P261 - Avoid breathing vapours.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves, protective clothing, eye protection, face protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

EUH-statements :

EUH066 - Repeated exposure may cause skin dryness or cracking.

### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethanol	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5 REACH-no: 01-2119457610-43	30 – 90	Flam. Liq. 2, H225 Eye Irrit. 2, H319
acetone; propan-2-one; propanone	CAS-No.: 67-64-1 EC-No.: 200-662-2 EC Index-No.: 606-001-00-8 REACH-no: 01-2119471330-49	4 – 50	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 EUH066

Full text of H- and EUH-statements: see section 16

**Hraniclean 106**according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Revision date: 26/02/2023 Supersedes version of: 24/10/2021

Issue date: 01/06/2015

Version: 1.4

**SECTION 4: First aid measures****4.1. Description of first aid measures**

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Drink 0,5l of water.

**4.2. Most important symptoms and effects, both acute and delayed**

Symptoms/effects	: Headache. May cause drowsiness or dizziness. Fatigue.
Symptoms/effects after inhalation	: May cause respiratory irritation. May affect central nervous system.
Symptoms/effects after skin contact	: Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: Abdominal pain, nausea. Ingestion may cause nausea and vomiting.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media**

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.

**5.2. Special hazards arising from the substance or mixture**

Fire hazard	: Highly flammable liquid and vapour.
Explosion hazard	: May form flammable/explosive vapour-air mixture. Vapours are heavier than air and may spread along floors.
Hazardous decomposition products in case of fire	: Carbon monoxide. Carbon dioxide. Do not breathe fumes from fires or vapours from decomposition.

**5.3. Advice for firefighters**

Precautionary measures fire	: Do not breathe vapour/aerosol. Evacuate area.
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Wear recommended personal protective equipment.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. Ensure adequate ventilation. Evacuate area.
------------------	---

**6.1.1. For non-emergency personnel**

Emergency procedures	: Evacuate unnecessary personnel. Do not breathe vapours.
----------------------	---

**6.1.2. For emergency responders**

Protective equipment	: Equip cleanup crew with proper protection. Avoid breathing Vapours.
Emergency procedures	: Ventilate area.

## Hraniclean 106

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
 Revision date: 26/02/2023 Supersedes version of: 24/10/2021

Issue date: 01/06/2015

Version: 1.4

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

For containment : Keep in suitable, closed containers for disposal.  
 Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.  
 Collect spillage. Store away from other materials.

### 6.4. Reference to other sections

See sections 7, 8 and 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable. Ensure adequate air ventilation.  
 Precautions for safe handling : Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Use only non-sparking tools. Avoid breathing vapours. Ground/bond container and receiving equipment. Wear personal protective equipment.  
 Hygiene measures : Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment.  
 Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Heat sources. Keep in fireproof place. Keep container tightly closed.  
 Incompatible products : Strong oxidizing agents. Strong bases. Strong acids.  
 Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.  
 Storage temperature : 5 – 25 °C  
 Information on mixed storage : Storage class: 3

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

acetone; propan-2-one; propanone (67-64-1)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Acetone
IOEL TWA	1210 mg/m <sup>3</sup>
IOEL TWA [ppm]	500 ppm
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC
United Kingdom - Occupational Exposure Limits	
Local name	Acetone
WEL TWA (OEL TWA) [1]	1210 mg/m <sup>3</sup>
WEL TWA (OEL TWA) [2]	500 ppm
WEL STEL (OEL STEL)	3620 mg/m <sup>3</sup>

## Hraniclean 106

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
 Revision date: 26/02/2023 Supersedes version of: 24/10/2021

Issue date: 01/06/2015

Version: 1.4

**acetone; propan-2-one; propanone (67-64-1)**

WEL STEL (OEL STEL) [ppm]	1500 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

**Ethanol (64-17-5)**
**United Kingdom - Occupational Exposure Limits**

Local name	Ethanol
WEL TWA (OEL TWA) [1]	1920 mg/m <sup>3</sup>
WEL TWA (OEL TWA) [2]	1000 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

**8.1.2. Recommended monitoring procedures**

No additional information available

**8.1.3. Air contaminants formed**

No additional information available

**8.1.4. DNEL and PNEC**

No additional information available

**8.1.5. Control banding**

No additional information available

**8.2. Exposure controls**
**8.2.1. Appropriate engineering controls**
**Appropriate engineering controls:**

Do not breathe vapour/aerosol. Keep away from open flames, hot surfaces and sources of ignition. Provide local exhaust or general room ventilation.

**8.2.2. Personal protection equipment**
**Personal protective equipment:**

Avoid all unnecessary exposure.

**8.2.2.1. Eye and face protection**
**Eye protection:**

Chemical goggles or safety glasses

**8.2.2.2. Skin protection**
**Skin and body protection:**

Chemical resistant apron. Chemical resistant safety shoes. Long sleeved protective clothing

**Hand protection:**

Wear protective gloves.

Type	Material	Thickness (mm)	Standard
Reusable gloves	Butyl rubber	> 0,3	EN ISO 374
Reusable gloves	Wear chemically resistant gloves (tested to EN374) in combination with 'basic' employee training	> 0,3	EN ISO 374

**8.2.2.3. Respiratory protection**
**Respiratory protection:**

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

## Hraniclean 106

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
 Revision date: 26/02/2023 Supersedes version of: 24/10/2021

Issue date: 01/06/2015

Version: 1.4

Device	Filter type
Mask	Filter AX (brown), A1

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Other information:

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Light pink.
Appearance	: Pink liquid.
Odour	: organic solvents.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: < -70 °C
Boiling point	: 56 – 78 °C
Flammability	: Highly flammable liquid and vapour.
Explosion limits	: 3.3 – 19 vol % (EC 200-578-6)
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 11 °C (EC 200-578-6)
Auto-ignition temperature	: 363 °C (EC 200-578-6)
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: 1.5 mm <sup>2</sup> /s
Viscosity, dynamic	: 1.2 mPa.s (EC 200-578-6)
Solubility	: Soluble in water. Miscible with fats.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: 59 mbar (EC 200-578-6)
Vapour pressure at 50°C	: Not available
Density	: 800 kg/m <sup>3</sup>
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

Explosion limits : 3.3 – 19 vol % (EC 200-578-6)

#### 9.2.2. Other safety characteristics

VOC content : 95 %

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable under normal conditions.

### 10.2. Chemical stability

Highly flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

### 10.3. Possibility of hazardous reactions

Stable under normal conditions of use. Reacts vigorously with strong oxidizers and acids.

## Hraniclean 106

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
 Revision date: 26/02/2023 Supersedes version of: 24/10/2021

Issue date: 01/06/2015

Version: 1.4

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame.

### 10.5. Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

No hazardous decomposition products known at room temperature.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)  
 Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)  
 Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

acetone; propan-2-one; propanone (67-64-1)	
LD50 oral rat	5800 mg/kg
LD50 oral	3000 mg/kg
LC50 Inhalation - Rat	76 mg/l 24h
LC50 Inhalation - Rat (Vapours)	50100 mg/l/4h 8h

Ethanol (64-17-5)	
LD50 oral rat	10470 mg/kg
LD50 oral	16000 mg/kg
LC50 Inhalation - Rat	124.7 mg/l

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)  
 Additional information : Repeated exposure may cause skin dryness or cracking.  
 Serious eye damage/irritation : Causes serious eye irritation.  
 Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met)  
 Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)  
 Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)  
 Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)  
 STOT-single exposure : May cause drowsiness or dizziness.

acetone; propan-2-one; propanone (67-64-1)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)

### HRANICLEAN 106

Viscosity, kinematic	1.5 mm <sup>2</sup> /s
----------------------	------------------------

### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

#### 11.2.2. Other information

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met

## Hraniclean 106

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
 Revision date: 26/02/2023 Supersedes version of: 24/10/2021

Issue date: 01/06/2015

Version: 1.4

### SECTION 12: Ecological information

#### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term (chronic) : Not classified (Based on available data, the classification criteria are not met)

#### acetone; propan-2-one; propanone (67-64-1)

LC50 - Fish [1]	5540 mg/l <i>Salmo gairneri</i>
LC50 - Fish [2]	7032 mg/l <i>Poecilia reticulanta</i>
LC50 - Other aquatic organisms [1]	8300 mg/l <i>Lepomis macrochirus</i>
LC50 - Other aquatic organisms [2]	8120 mg/l <i>Pimephales promelas</i>
EC50 - Crustacea [1]	10 mg/l <i>Daphnia magna</i> 24-48h
EC50 - Crustacea [2]	12600 – 12700 <i>Daphnia magna</i> 48h

#### Ethanol (64-17-5)

LC50 - Fish [1]	14.2 g/l <i>Pimephales promelas</i>
LC50 - Fish [2]	13000 mg/kg <i>Oncorhynchus mykiss</i>
EC50 - Crustacea [1]	9300 mg/l
EC50 - Crustacea [2]	5012 mg/l <i>Ceriodaphnia dubi</i>
EC50 72h - Algae [1]	275 mg/l <i>Chlorella vulgaris</i>

#### 12.2. Persistence and degradability

##### HRANICLEAN 106

Persistence and degradability	Readily biodegradable. (OECD 301B method).
Biodegradation	> 90 %

#### acetone; propan-2-one; propanone (67-64-1)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

#### 12.3. Bioaccumulative potential

##### HRANICLEAN 106

Bioaccumulative potential	not bioaccumulable.
---------------------------	---------------------

#### acetone; propan-2-one; propanone (67-64-1)

BCF - Fish [1]	1
Partition coefficient n-octanol/water (Log Pow)	-0.24

#### Ethanol (64-17-5)

Partition coefficient n-octanol/water (Log Pow)	-0.35
---	-------

#### 12.4. Mobility in soil

##### HRANICLEAN 106

Ecology - soil	A mixture evaporates easily. Low potential for adsorption in soil.
----------------	--



## Hraniclean 106

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
 Revision date: 26/02/2023 Supersedes version of: 24/10/2021

Issue date: 01/06/2015

Version: 1.4

### 12.5. Results of PBT and vPvB assessment

#### HRANICLEAN 106

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### Component

acetone; propan-2-one; propanone (67-64-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Ethanol (64-17-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

### 12.7. Other adverse effects

Additional information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.  
 Waste treatment methods : Collect all waste in suitable and labelled containers and dispose according to local legislation.  
 Sewage disposal recommendations : Do not dispose of waste into sewer.  
 Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.  
 Additional information : Handle empty containers with care because residual vapours are flammable.  
 Ecology - waste materials : Avoid release to the environment.  
 European List of Waste (LoW) code : 07 01 04\* - other organic solvents, washing liquids and mother liquors

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID






ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
UN 1993	UN 1993	UN 1993	UN 1993	UN 1993
<b>14.2. UN proper shipping name</b>				
FLAMMABLE LIQUID, N.O.S.	FLAMMABLE LIQUID, N.O.S.	Flammable liquid, n.o.s.	FLAMMABLE LIQUID, N.O.S.	FLAMMABLE LIQUID, N.O.S.
<b>Transport document description (ADR)</b>				
UN 1993 FLAMMABLE LIQUID, N.O.S., 3, II, (D/E)	UN 1993 FLAMMABLE LIQUID, N.O.S. (ethanol, ethyl alcohol ; acetone, propan-2-one, propanone), 3, II	UN 1993 Flammable liquid, n.o.s., 3, II	UN 1993 FLAMMABLE LIQUID, N.O.S., 3, II	UN 1993 FLAMMABLE LIQUID, N.O.S., 3, II
<b>14.3. Transport hazard class(es)</b>				
3	3	3	3	3

## Hraniclean 106

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
 Revision date: 26/02/2023 Supersedes version of: 24/10/2021


Issue date: 01/06/2015

Version: 1.4

ADR	IMDG	IATA	ADN	RID
				
<b>14.4. Packing group</b>				
II	II	II	II	II
<b>14.5. Environmental hazards</b>				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available				

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR)	: F1
Special provisions (ADR)	: 274, 601, 640C
Limited quantities (ADR)	: 1I
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T7
Portable tank and bulk container special provisions (ADR)	: TP1, TP8, TP28
Tank code (ADR)	: L1.5BN
Vehicle for tank carriage	: FL
Transport category (ADR)	: 2
Special provisions for carriage - Operation (ADR)	: S2, S20
Hazard identification number (Kemler No.)	: 33
Orange plates	: 
Tunnel restriction code (ADR)	: D/E

#### Transport by sea

Special provisions (IMDG)	: 274
Limited quantities (IMDG)	: 1 L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP1, TP8, TP28
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-E
Stowage category (IMDG)	: B

#### Air transport

PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 353
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3
ERG code (IATA)	: 3H

## Hraniclean 106

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
 Revision date: 26/02/2023 Supersedes version of: 24/10/2021

Issue date: 01/06/2015

Version: 1.4

### Inland waterway transport

Classification code (ADN) : F1  
 Special provisions (ADN) : 274, 601, 640C  
 Limited quantities (ADN) : 1 L  
 Excepted quantities (ADN) : E2  
 Carriage permitted (ADN) : T  
 Equipment required (ADN) : PP, EX, A  
 Ventilation (ADN) : VE01  
 Number of blue cones/lights (ADN) : 1

### Rail transport

Classification code (RID) : F1  
 Special provisions (RID) : 274, 601, 640C  
 Limited quantities (RID) : 1L  
 Excepted quantities (RID) : E2  
 Packing instructions (RID) : P001  
 Mixed packing provisions (RID) : MP19  
 Portable tank and bulk container instructions (RID) : T7  
 Portable tank and bulk container special provisions (RID) : TP1, TP8, TP28  
 Tank codes for RID tanks (RID) : L1.5BN  
 Transport category (RID) : 2  
 Colis express (express parcels) (RID) : CE7  
 Hazard identification number (RID) : 33

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

##### REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)	
Reference code	Applicable on
3(a)	HRANICLEAN 106 ; acetone; propan-2-one; propanone ; Ethanol
3(b)	HRANICLEAN 106 ; acetone; propan-2-one; propanone
40.	acetone; propan-2-one; propanone ; Ethanol

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

##### VOC Directive (2004/42)

VOC content : 95 %

## Hraniclean 106

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
 Revision date: 26/02/2023 Supersedes version of: 24/10/2021

Issue date: 01/06/2015

Version: 1.4

**Explosives Precursors Regulation (2019/1148)**

Contains substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

**ANNEX II REPORTABLE EXPLOSIVES PRECURSORS**

List of substances on their own or in mixtures or in substances for which suspicious transactions and significant disappearances and thefts are to be reported to the relevant national contact point within 24 hours.

Name	CAS-No.	Combined Nomenclature code (CN)	Combined Nomenclature code for mixture without constituents which would determine classification under another CN code
Acetone	67-64-1	2914 11 00	ex 3824 99 92

Please see [https://ec.europa.eu/home-affairs/system/files/2021-11/list\\_of\\_competent\\_authorities\\_and\\_national\\_contact\\_points\\_en.pdf](https://ec.europa.eu/home-affairs/system/files/2021-11/list_of_competent_authorities_and_national_contact_points_en.pdf)

**Drug Precursors Regulation (273/2004)**

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category	Threshold	Annex
Acetone		67-64-1	2914 11 00	Category 3		Annex I

**15.1.2. National regulations**

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP)

**United Kingdom**

British National Regulations

: Directive 2008/98/EC of the European Parliament and of the Council on waste and repealing certain Directives, in the valid wording.  
 Regulation (EC) No 1013/2006 of the European Parliament and of the Council on shipments of waste, in the valid wording.  
 UK Waste Regulations.  
 UK REACH.  
 GB CLP.

**15.2. Chemical safety assessment**

No chemical safety assessment has been carried out

**SECTION 16: Other information****Indication of changes**

Section	Changed item	Change	Comments
	Supersedes	Modified	
	Revision date	Modified	
2.1	Adverse physicochemical, human health and environmental effects	Modified	

**Abbreviations and acronyms:**

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
DPD	Dangerous Preparations Directive 1999/45/EC

## Hraniclean 106

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
 Revision date: 26/02/2023 Supersedes version of: 24/10/2021

Issue date: 01/06/2015

Version: 1.4

### Abbreviations and acronyms:

DSD	Dangerous Substances Directive 67/548/EEC
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
SDS	Safety Data Sheet
STP	Sewage treatment plant
vPvB	Very Persistent and Very Bioaccumulative

Data sources : ECHA Guidance on the compilation of safety data sheets  
 ECHA C&L Inventory database. Supplier's safety documents.

Training advice : Provide SDS to employees. Follow general rules on handling chemical substances and/or mixtures.

### Full text of H- and EUH-statements:

EUH066	Repeated exposure may cause skin dryness or cracking.
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Flam. Liq. 2	H225	On basis of test data
Eye Irrit. 2	H319	Calculation method
STOT SE 3	H336	Calculation method

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.